### NUMBER AND OPERATION (encompasses 12-16 MCA test items)

Standard 1: Read, write, represent and compare positive and negative rational numbers, expressed as integers, fractions and decimals. (encompasses 4-6 MCA test items)

		Where Benchmark is Taught/Assessed in Holt	
Curriculum Benchmark	MCA III Test Item Specifications	"Pre-Algebra" Student Edition	Notes
Know that every rational number can be written as the ratio of two integers or as a terminating or repeating decimal. Recognize that $\pi$ is not rational, but that it can be approximated by	<ul> <li>Allowable notation: , π (written as a symbol, not as "pi")</li> <li>Vocabulary allowed in items: terminating, repeating, and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 3.1 (112-115); Lesson 6.4 (294)	
rational numbers such as $\frac{22}{7}$ and 3.14. (7.1.1.1)			
Understand that division of two integers will always result in a rational number. Use this information to interpret the decimal result of a division problem when using a calculator. (7.1.1.2)	Vocabulary allowed in items: terminating, repeating, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 3.1 (112-116)	
For example: $\frac{125}{30}$ gives 4.16666667 on a			
calculator. This answer is not exact. The exact			
answer can be expressed as $4\frac{1}{6}$ , which is the			
same as $4.\overline{16}$ . The calculator expression does not guarantee that the 6 is repeated, but that possibility should be anticipated.			
Locate positive and negative rational numbers on a number line, understand the concept of opposites, and plot pairs of positive and negative rational numbers on a coordinate grid. (7.1.1.3)	Vocabulary allowed in items: opposite, coordinate, origin, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.8 (38-41); Lesson 2.1 (60-63); Lesson 3.2 (117)	
Compare positive and negative rational numbers expressed in various forms using the symbols $<,>,=,\leq,\geq$ . (7.1.1.4)	Vocabulary allowed in items: vocabulary given at previous grades	(None identified)	
For example: $-\frac{1}{2} < -0.36$ .			
Recognize and generate equivalent representations of positive and negative rational numbers, including equivalent fractions. (7.1.1.5)	Vocabulary allowed in items: vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 3.1 (112-116); Lesson 7.1 (342-345)	
For example: $-\frac{40}{12} = -\frac{120}{36} = -\frac{10}{3} = -3.\overline{3}$ .			

Northfield Public Schools 1 Updated May 16, 2014

### NUMBER AND OPERATION (encompasses 12-16 MCA test items) (continued)

Standard 2: Calculate with positive and negative rational numbers, and rational numbers with whole number exponents, to solve real-world and mathematical problems. (encompasses 8-10 MCA test items)

		Where Benchmark is Taught/Assessed in Holt	
Curriculum Benchmark	MCA III Test Item Specifications	"Pre-Algebra" Student Edition	Notes
Add, subtract, multiply and divide positive and	Items must not have context	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson	
negative rational numbers that are integers,	Vocabulary allowed in items: vocabulary given at	1.3 (13-17); Lesson 1.4 (18-22); Lesson 1.5 (23-27); Lesson	
fractions and terminating decimals; use efficient	previous grades	1.6 (28-31); Lesson 2.1 (60-63); Lesson 2.2 (64-67); Lesson	
and generalizable procedures, including standard		2.3 (68-71); Lesson 2.4 (74); Lesson 2.6 (84-87); Lesson 2.7	
algorithms; raise positive rational numbers to		(88-91); Lesson 2.8 (92-95); Lesson 3.1 (112-116); Lesson 3.2	
whole-number exponents. (7.1.2.1)		(117-120); Lesson 3.3 (121-125); Lesson 3.4 (126-130);	
		Lesson 3.5 (131-134); Lesson 3.6 (136-139); Lesson 3.7 (140-	
$\frac{1}{2}$ $\frac{4}{1}$ $\frac{1}{2}$ 81		143); Lesson 3.8 (146-149); Lesson 3.9 (150-153); Lesson	
For example: $3^4 \times (\frac{1}{2})^2 = \frac{81}{4}$ .		3.10 (157-159); Lesson 4.3 (184)l; Lesson 4.4 (192); Lesson	
		5.1 (222-226); Lesson 5.2 (228-231); Lesson 5.3 (234-238);	
		Lesson 5.4 (239-243); Lesson 5.6 (251-253); Lesson 6.1 (280-	
		284); Lesson 6.2 (285-288); Lesson 6.3 (290-293); Lesson 6.4	
		(294-297); Lesson 6.5 (302-306); Lesson 6.6 (307-311);	
		Lesson 6.7 (312-315); Lesson 6.8 (316-319); Lesson 6.9 (320-	
		323); Lesson 6.10 (324-327); Lesson 7.1 (342-346); Lesson	
		7.2 (346-349); Lesson 7.3 (350-354); Lesson 7.4 (356-359);	
		Lesson 7.6 (368-371); Lesson 7.7 (372-375); Lesson 7.8 (376-	
		379); Lesson 7.9 (382-385); Lesson 8.1 (400-403); Lesson 8.2	
		(405-408); Lesson 8.3 (410-413); Lesson 8.4 (416-419);	
		Lesson 8.5 (420-423); Lesson 8.6 (424-427); Lesson 8.7 (428-	
		431); Lesson 9.1 (446-450); Lesson 9.2 (451-454); Lesson 9.4	
		(462-466); Lesson 9.5 (467-470); Lesson 9.6 (471-475);	
		Lesson 9.7 (477-481); Lesson 9.8 (482-485); Lesson 10.1	
		(498-501); Lesson 10.2 (502-505); Lesson 10.3 (507-511);	
		Lesson 10.4 (514-518); Lesson 10.5 (519-522); Lesson 10.6	
		(523-527); Lesson 11.1 (540-544); Lesson 11.2 (545-549);	
		Lesson 11.3 (550-552, 554); Lesson 11.4 (556-559); Lesson	
		11.5 (562-566); Lesson 11.6 (567-571); Lesson 11.7 (572-	
		575); Lesson 12.1 (590-594); Lesson 12.2 (595-599); Lesson	
		12.3 (601-605); Lesson 12.4 (608-612); Lesson 12.5 (613-	
		616); Lesson 12.6 (617-620); Lesson 12.7 (621-625); Lesson	
		12.8 (628-631); Lesson 13.1 (644-647); Lesson 13.2 (650-	
		653); Lesson 13.3 (656-659); Lesson 13.4 (660-663); Lesson	
		13.5 (664-667); Lesson 13.6 (670-673); Lesson 14.7 (716-719)	

Northfield Public Schools 2 Updated May 16, 2014

NUMBER AND OPERATION (encompasses 12-16 MCA test items) (continued)			
Curriculum Benchmark	MCA III Test Item Specifications	Where Benchmark is Taught/Assessed in Holt "Pre- Algebra" Student Edition	Notes
Use real-world contexts and the inverse relationship between addition and subtraction to explain why the procedures of arithmetic with negative rational numbers make sense. (7.1.2.2)  For example: Multiplying a distance by -1 can be thought of as representing that same distance in the opposite direction. Multiplying by -1 a second time reverses directions again, giving the distance in the original direction.	Vocabulary allowed in items: inverse and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.3 (13-17); Lesson 3.8 (146-149); Lesson 3.9 (150-153)	
Understand that calculators and other computing technologies often truncate or round numbers. (7.1.2.3)  For example: A decimal that repeats or terminates after a large number of digits is truncated or rounded.	Assessed within 7.1.2.4	(None identified)	
Solve problems in various contexts involving calculations with positive and negative rational numbers and positive integer exponents, including computing simple and compound interest. (7.1.2.4)	Vocabulary allowed in items: simple interest, compound interest, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson 1.2 (10-12); Lesson 1.3 (15-17); Lesson 1.4 (19-22); Lesson 1.5 (25-27); Lesson 1.6 (31); Lesson 1.7 (35-37); Lesson 1.8 (41); Lesson 2.1 (60-63); Lesson 2.2 (64-67); Lesson 2.3 (68-71); Lesson 2.4 (75-77); Lesson 2.5 (80-81); Lesson 2.6 (84-87); Lesson 2.7 (89-91); Lesson 2.8 (95); Lesson 2.9 (99); Lesson 3.1 (115-116); Lesson 3.2 (117-120); Lesson 3.3 (121-125); Lesson 3.4 (126-130); Lesson 3.5 (131-134); Lesson 3.6 (137-139); Lesson 3.7 (140-143); Lesson 3.8 (147-149); Lesson 3.9 (150-153); Lesson 4.3 (185-187); Lesson 6.1 (284); Lesson 6.2 (288); Lesson 6.3 (293); Lesson 6.4 (297); Lesson 6.6 (309-311); Lesson 6.7 (313-315); Lesson 6.8 (317-319); Lesson 6.9 (321-323); Lesson 6.10 (327); Lesson 7.1 (342-346); Lesson 7.2 (346-349); Lesson 7.3 (350-354); Lesson 7.4 (356-359); Lesson 7.6 (368-371); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 7.9 (383-385); Lesson 8.1 (400-403); Lesson 8.2 (405-408); Lesson 8.3 (410-413); Lesson 8.4 (416-419); Lesson 8.6 (424-427); Lesson 8.7 (428-431); Lesson 9.2 (452-454); Lesson 9.3 (456-459); Lesson 9.7 (481); Lesson 9.8 (485); Lesson 10.1 (498-501); Lesson 10.2 (503-505); Lesson 10.3 (509-511); Lesson 10.4 (516-518); Lesson 10.5 (522); Lesson 10.6 (527); Lesson 11.1 (543-544); Lesson 11.4 (557-559); Lesson 11.5 (564-566); Lesson 11.6 (569-571); Lesson 11.7 (573-575); Lesson 12.1 (592-594); Lesson 12.2 (597-599); Lesson 12.4 (612); Lesson 12.6 (620); Lesson 12.7 (621-625); Lesson 13.1 (645-647); Lesson 14.3 (699)	

Northfield Public Schools 3 Updated May 16, 2014

NUMBER AND OPERATION (encompasses 12-16 MCA test items) (continued)			
Curriculum Benchmark	MCA III Test Item Specifications	Where Benchmark is Taught/Assessed in Holt "Pre- Algebra" Student Edition	Notes
Use proportional reasoning to solve problems involving ratios in various contexts. (7.1.2.5)  For example: A recipe calls for milk, flour and sugar in a ratio of 4:6:3 (this is how recipes are often given in large institutions, such as hospitals). How much flour and milk would be needed with 1 cup of sugar?	Vocabulary allowed in items: proportion and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 7.1 (346); Lesson 7.2 (346-349); Lesson 7.4 (356-359); Lesson 7.5 (362-365); Lesson 7.6 (368-371); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 7.9 (382-385); Lesson 8.2 (405-408); Lesson 8.3 (410-413); Lesson 8.4 (416-419); Lesson 8.6 (424-425); Lesson 8.7 (431); Lesson 11.5 (562-566)	
Demonstrate an understanding of the relationship between the absolute value of a rational number and distance on a number line. Use the symbol for absolute value. (7.1.2.6)	Vocabulary allowed in items: absolute value and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 2.1 (60)	
For example: $ -3 $ represents the distance from $-3$ to 0 on a number line or 3 units; the distance between 3 and $\frac{9}{2}$ on the number line is $ 3-\frac{9}{2} $			
or $\frac{3}{2}$ .			

Northfield Public Schools 4 Updated May 16, 2014

#### **ALGEBRA** (encompasses 16-20 MCA test items)

Standard 1: Understand the concept of proportionality in real-world and mathematical situations, and distinguish between proportional and other relationships. (encompasses 1-2 MCA test items)

		Where Benchmark is Taught/Assessed in Holt "Pre-	
Curriculum Benchmark	MCA III Test Item Specifications	Algebra" Student Edition	Notes
Understand that a relationship between two variables, x and y, is proportional if it can be	Vocabulary allowed in items: proportional, inversely, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 11.5 (562-566); Lesson 12.8 (628-631)	
expressed in the form $\frac{y}{x} = k$ or $y = kx$ .  Distinguish proportional relationships from other relationships, including inversely proportional			
relationships ( $xy = k$ or $y = \frac{k}{x}$ ). (7.2.1.1)			
For example: The radius and circumference of a circle are proportional, whereas the length x and the width y of a rectangle with area 12 are inversely proportional, since $xy = 12$ or equivalently, $y = \frac{12}{x}$ .			
Understand that the graph of a proportional relationship is a line through the origin whose slope is the unit rate (constant of proportionality). Know how to use graphing technology to examine what happens to a line when the unit rate is changed. (7.2.1.2)	Vocabulary allowed in items: proportional, origin, slope, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 11.2 (545-549); Lesson 11.3 (550-554); Lesson 11.4 (556-559); Lesson 11.5 (562-566)	

Northfield Public Schools 5 Updated May 16, 2014

#### **ALGEBRA** (encompasses 16-20 MCA test items) (continued)

**Standard 2:** Recognize proportional relationships in real-world and mathematical situations; represent these and other relationships with tables, verbal descriptions, symbols and graphs; solve problems involving proportional relationships and explain results in the original context. (encompasses 6-8 MCA test items)

		Where Benchmark is Taught/Assessed in Holt "Pre-	
Curriculum Benchmark	MCA III Test Item Specifications	Algebra" Student Edition	Notes
Represent proportional relationships with tables, verbal descriptions, symbols, equations and graphs; translate from one representation to another. Determine the unit rate (constant of proportionality or slope) given any of these representations. (7.2.2.1)  For example: Larry drives 114 miles and uses 5 gallons of gasoline. Sue drives 300 miles and uses 11.5 gallons of gasoline. Use equations and graphs to compare fuel efficiency and to determine the costs of various trips.	Vocabulary allowed in items: proportional, origin, slope, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.8 (39-41); Lesson 1.9 (43-47); Lesson 2.1 (60-63); Lesson 2.2 (64-67); Lesson 2.3 (68-71); Lesson 2.4 (74-77); Lesson 2.5 (78-81); Lesson 2.6 (84-87); Lesson 2.7 (88-91); Lesson 2.8 (92-95); Lesson 2.9 (96-99); Lesson 3.1 (112-116); Lesson 3.2 (117-120); Lesson 3.3 (121-125); Lesson 3.4 (126-130); Lesson 3.5 (131-134); Lesson 3.6 (136-139); Lesson 3.7 (140-143); Lesson 3.8 (146-149); Lesson 3.9 (150-153); Lesson 3.10 (156-159); Lesson 4.1 (174-177); Lesson 4.2 (179-183); Lesson 4.3 (184-187); Lesson 4.4 (188-192); Lesson 4.5 (196-199); Lesson 4.6 (200-203); Lesson 4.7 (204-207); Lesson 5.1 (222-226); Lesson 5.2 (228-231); Lesson 5.3 (234-238); Lesson 5.4 (239-243); Lesson 5.5 (244-247); Lesson 5.6 (250-253); Lesson 5.7 (254-257); Lesson 5.8 (259-262); Lesson 6.9 (263-267); Lesson 6.1 (280-284); Lesson 6.2 (285-288); Lesson 6.3 (290-293); Lesson 6.4 (294-297); Lesson 6.5 (302-306); Lesson 6.6 (307-311); Lesson 6.7 (312-315); Lesson 6.8 (316-319); Lesson 6.9 (320-323); Lesson 6.10 (324-327); Lesson 7.1 (342-346); Lesson 7.2 (346-349); Lesson 7.3 (350-354); Lesson 11.1 (540-544); Lesson 11.2 (545-549); Lesson 11.3 (550-554); Lesson 11.5 (562-566)	
Solve multi-step problems involving proportional relationships in numerous contexts. (7.2.2.2)  For example: Distance-time, percent increase or decrease, discounts, tips, unit pricing, lengths in similar geometric figures, and unit conversion when a conversion factor is given, including conversion between different measurement systems. Another example: How many kilometers are there in 26.2 miles?	Contexts may include (but are not limited to) discounts, tax, and percent of change     Vocabulary allowed in items: proportional and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 7.1 (344-345); Lesson 7.4 (356-359); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 8.6 (425-427)	

Northfield Public Schools 6 Updated May 16, 2014

Where Benchmark is Taught/Assessed in Holt "Pre-Algebra" Student Edition  Holt "Pre-Algebra" 2006 SE pages: Lesson 7.1 (344-345); Lesson 7.4 (356-359); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 8.6 (425-427)	Notes
7.4 (356-359); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson	
Holt "Pre-Algebra" 2006 SE pages: Lesson 1.3 (15-17); Lesson 1.4 (18-22); Lesson 1.5 (23-27); Lesson 1.6 (28-31); Lesson 3.6 (136-139); Lesson 3.7 (140-143); Lesson 10.1 (498-501); Lesson 10.2 (502-505); Lesson 10.3 (507-511); Lesson 10.4 (514-518); Lesson 10.6 (527)	
_	(18-22); Lesson 1.5 (23-27); Lesson 1.6 (28-31); Lesson 3.6 (136-139); Lesson 3.7 (140-143); Lesson 10.1 (498-501); Lesson 10.2 (502-505); Lesson 10.3 (507-511); Lesson 10.4 (514-518); Lesson 10.6

Northfield Public Schools 7 Updated May 16, 2014

### ALGEBRA (encompasses 16-20 MCA test items) (continued)

**Standard 3:** Apply understanding of order of operations and algebraic properties to generate equivalent numerical and algebraic expressions containing positive and negative rational numbers and grouping symbols; evaluate such expressions. (encompasses 4-6 MCA test items)

	Where Benchmark is Taught/Assessed in Holt "Pre-	
MCA III Test Item Specifications	Algebra" Student Edition	Notes
<ul> <li>Items must not have context</li> <li>Vocabulary allowed in items: simplify and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson 1.2 (8-12)	
<ul> <li>Expressions contain no more than 3 variables</li> <li>Vocabulary allowed in items: evaluate, substitute, and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson 1.2 (8-12); Lesson 2.1 (60-63); Lesson 2.2 (64-67); Lesson 2.3 (68-71); Lesson 2.6 (84-87); Lesson 2.8 (92-95); Lesson 3.2 (118-120); Lesson 3.3 (123-125); Lesson 3.4 (127-130); Lesson 3.5 (132-134); Lesson 9.6 (471-475)	
Assessed within 7.2.3.1 and 7.2.3.2	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson 2.3 (69-71); Lesson 2.6 (84-87)	
	<ul> <li>Items must not have context</li> <li>Vocabulary allowed in items: simplify and vocabulary given at previous grades</li> <li>Expressions contain no more than 3 variables</li> <li>Vocabulary allowed in items: evaluate, substitute, and vocabulary given at previous grades</li> </ul>	<ul> <li>MCA III Test Item Specifications</li> <li>Items must not have context</li> <li>Vocabulary allowed in items: simplify and vocabulary given at previous grades</li> <li>Expressions contain no more than 3 variables</li> <li>Vocabulary allowed in items: evaluate, substitute, and vocabulary given at previous grades</li> <li>Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson 1.2 (8-12); Lesson 2.1 (60-63); Lesson 2.2 (64-67); Lesson 2.3 (68-71); Lesson 2.6 (84-87); Lesson 2.6 (84-87); Lesson 3.2 (118-120); Lesson 3.3 (123-125); Lesson 3.4 (127-130); Lesson 3.5 (132-134); Lesson 9.6 (471-475)</li> <li>Assessed within 7.2.3.1 and 7.2.3.2</li> <li>Holt "Pre-Algebra" 2006 SE pages: Lesson 1.1 (4-7); Lesson 2.3 (68-71); Lesson 2.6 (84-87); Lesson 3.5 (132-134); Lesson 3.6 (471-475)</li> </ul>

Northfield Public Schools 8 Updated May 16, 2014

### ALGEBRA (encompasses 16-20 MCA test items) (continued)

**Standard 4:** Represent real-world and mathematical situations using equations with variables. Solve equations symbolically, using the properties of equality. Also solve equations graphically and numerically. Interpret solutions in the original context. (encompasses 4-6 MCA test items)

		Where Benchmark is Taught/Assessed in Holt "Pre-	
Curriculum Benchmark	MCA III Test Item Specifications	Algebra" Student Edition	Notes
Represent relationships in various contexts with equations involving variables and positive and negative rational numbers. Use the properties of equality to solve for the value of a variable.  Interpret the solution in the original context. (7.2.4.1)	Vocabulary allowed in items: vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 1.3 (13-17); Lesson 1.4 (18-22); Lesson 2.4 (74-77); Lesson 3.6 (136-139); Lesson 10.1 (498-501); Lesson 10.2 (505); Lesson 10.3 (507-511); Lesson 11.5 (562-566)	
For example: Solve for w in the equation $P = 2w + 2\ell$ when $P = 3.5$ and $\ell = 0.4$ . Another example: To post an Internet website, Mary must pay \$300 for initial set up and a monthly fee of \$12. She has \$842 in savings, how long can she sustain her website?			
Solve equations resulting from proportional relationships in various contexts. (7.2.4.2)  For example: Given the side lengths of one triangle and one side length of a second triangle that is similar to the first, find the remaining side lengths of the second triangle. Another example: Determine the price of 12 yards of ribbon if 5 yards of ribbon cost \$1.85.	Vocabulary allowed in items: vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 7.1 (346); Lesson 7.2 (346-349); Lesson 7.4 (356-359); Lesson 7.5 (365); Lesson 7.6 (368-371); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 7.9 (382-385); Lesson 8.2 (405-408); Lesson 8.3 (410-413); Lesson 8.4 (416-419); Lesson 8.6 (424-427); Lesson 8.7 (428-431); Lesson 11.5 (562-566)	

Northfield Public Schools 9 Updated May 16, 2014

### GEOMETRY AND MEASUREMENT (encompasses 8-10 MCA test items)

Standard 1: Use reasoning with proportions and ratios to determine measurements, justify formulas and solve real-world and mathematical problems involving circles and related geometric figures. (encompasses 4-5 MCA test items)

		Where Benchmark is Taught/Assessed in Holt "Pre-	
Curriculum Benchmark	MCA III Test Item Specifications	Algebra" Student Edition	Notes
Demonstrate an understanding of the proportional relationship between the diameter and circumference of a circle and that the unit rate (constant of proportionality) is $\pi$ . Calculate the circumference and area of circles and sectors of circles to solve problems in various contexts. (7.3.1.1)	<ul> <li>Allowable notation: π (written as a symbol, not as "pi")</li> <li>Items may assess finding the area and arc length of a sector</li> <li>Items do not assess finding the perimeter of a sector</li> <li>Vocabulary allowed in items: radius, diameter, circumference, and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 6.4 (294-297); Lesson 6.6 (307-311); Lesson 6.7 (312-315); Lesson 6.8 (316-319); Lesson 6.9 (320-323); Lesson 6.10 (324-327)	
Calculate the volume and surface area of cylinders and justify the formulas used. (7.3.1.2)  For example: Justify the formula for the surface area of a cylinder by decomposing the surface into two circles and a rectangle.	Units must be consistent throughout an item; conversions are not allowed     Vocabulary allowed in items: radius, diameter, circumference, cylinder, lateral area, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 6.6 (307-311); Lesson 6.8 (316-319)	

Northfield Public Schools 10 Updated May 16, 2014

### **GEOMETRY AND MEASUREMENT** (encompasses 8-10 MCA test items) (continued)

Standard 2: Analyze the effect of change of scale, translations and reflections on the attributes of two-dimensional figures. (encompasses 4-5 MCA test items)

Curriculum Benchmark	MCA III Test Item Specifications	Where Benchmark is Taught/Assessed in Holt "Pre-Algebra" Student Edition	Notes
Describe the properties of similarity, compare geometric figures for similarity, and determine scale factors. (7.3.2.1)  For example: Corresponding angles in similar geometric figures have the same measure.	<ul> <li>Allowable notation: ~ (similar), ≅ (congruent), FG (segment FG), FG (length of segment FG)</li> <li>Vocabulary allowed in items: similar, corresponding, scale factor, and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 7.5 (362-365); Lesson 7.6 (368-371); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 7.9 (382-385)	1,000
Apply scale factors, length ratios and area ratios to determine side lengths and areas of similar geometric figures. (7.3.2.2)  For example: If two similar rectangles have heights of 3 and 5, and the first rectangle has a base of length 7, the base of the second rectangle has length 35/3.	<ul> <li>Allowable notation: ~ (similar), ≅ (congruent), FG (segment FG), FG (length of segment FG)</li> <li>Vocabulary allowed in items: similar, corresponding, scale factor, and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 7.5 (362-365); Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 7.9 (382-385)	
Use proportions and ratios to solve problems involving scale drawings and conversions of measurement units. (7.3.2.3)  For example: 1 square foot equals 144 square inches. Another example: In a map where 1 inch represents 50 miles, ½ inch represents 25 miles.	Conversions are limited to no more than 2 per item     Vocabulary allowed in items: similar, corresponding, scale drawing, conversion, and vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 7.7 (372-375); Lesson 7.8 (376-379); Lesson 7.9 (382-385)	
Graph and describe translations and reflections of figures on a coordinate grid and determine the coordinates of the vertices of the figure after the transformation. (7.3.2.4)  For example: The point (1, 2) moves to (-1, 2) after reflection about the y-axis.	<ul> <li>Allowable notation: J and J' (labels for points before and after transformation)</li> <li>Allowable translation notation: (x, y) → (x + 3, y - 2)</li> <li>Images may be reflected over vertical lines, horizontal lines and the lines y=x and y=-x</li> <li>Vocabulary allowed in items: vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 5.7 (254-257)	

Northfield Public Schools 11 Updated May 16, 2014

### DATA ANALYSIS AND PROBABILITY (encompasses 8-10 MCA test items)

**Standard 1:** Use mean, median and range to draw conclusions about data and make predictions. (encompasses 3-5 MCA test items)

		Where Renchmark is Taught / Assessed	
		Where Benchmark is Taught/Assessed	
Curriculum Benchmark	MCA III Test Item Specifications	in Holt "Pre-Algebra" Student Edition	Notes
Design simple experiments and collect data.  Determine mean, median and range for quantitative data and from data represented in a display. Use these quantities to draw conclusions about the data, compare different data sets, and make predictions. (7.4.1.1)	<ul> <li>Data displays are limited to no more than 10 categories</li> <li>Data displays from previous grades may be used</li> <li>Vocabulary allowed in items: stem-and-leaf plot, and vocabulary given at previous grades</li> </ul>	Holt "Pre-Algebra" 2006 SE pages: Lesson 4.3 (184-187)	
For example: By looking at data from the past, Sandy calculated that the mean gas mileage for her car was 28 miles per gallon. She expects to travel 400 miles during the next week. Predict the approximate number of gallons that she will use.			
Describe the impact that inserting or deleting a data point has on the mean and the median of a data set. Know how to create data displays using a spreadsheet to examine this impact. (7.4.1.2)  For example: How does dropping the lowest test score affect a student's mean test score?	Data sets are limited to no more than 10 data points     Vocabulary allowed in items: outlier and vocabulary given at previous grades	(None identified)	

Northfield Public Schools 12 Updated May 16, 2014

### DATA ANALYSIS AND PROBABILITY (encompasses 8-10 MCA test items)

Standard 2: Display and interpret data in a variety of ways, including circle graphs and histograms. (encompasses 1-2 MCA test items)

Curriculum Benchmark	MCA III Test Item Specifications	Where Benchmark is Taught/Assessed in Holt "Pre-Algebra" Student Edition	Notes
Use reasoning with proportions to display and interpret data in circle graphs (pie charts) and histograms. Choose the appropriate data display and know how to create the display using a spreadsheet or other graphing technology. (7.4.2.1)	<ul> <li>Circle graphs have no more than 6 sectors</li> <li>Histograms have no more than 5 intervals</li> <li>Vocabulary allowed in items: circle graph, histogram, frequency table, and vocabulary given at previous grades</li> </ul>	(None identified):	

Northfield Public Schools 13 Updated May 16, 2014

### DATA ANALYSIS AND PROBABILITY (encompasses 8-10 MCA test items)

Standard 3: Calculate probabilities and reason about probabilities using proportions to solve real-world and mathematical problems. (encompasses 3-5 MCA test items)

Curriculum Benchmark	MCA III Test Item Specifications	Where Benchmark is Taught/Assessed in Holt "Pre-Algebra" Student Edition	Notes
Use random numbers generated by a calculator or a spreadsheet or taken from a table to simulate situations involving randomness, make a histogram to display the results, and compare the results to known probabilities. (7.4.3.1)	(Not assessed on the MCA-III)	Holt "Pre-Algebra" 2006 SE pages: Lesson 9.3 (456-459)	
For example: Use a spreadsheet function such as RANDBETWEEN(1, 10) to generate random whole numbers from 1 to 10, and display the results in a histogram.			
Calculate probability as a fraction of sample space or as a fraction of area. Express probabilities as percents, decimals and fractions. (7.4.3.2)  For example: Determine probabilities for different	Vocabulary allowed in items: vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: 444-4501, 748	
outcomes in game spinners by finding fractions of the area of the spinner.			
Use proportional reasoning to draw conclusions about and predict relative frequencies of outcomes based on probabilities. (7.4.3.3)	Vocabulary allowed in items: vocabulary given at previous grades	Holt "Pre-Algebra" 2006 SE pages: Lesson 9.2 (451-454); Lesson 9.4 (462-466); Lesson 9.8 (482-485)	
For example: When rolling a number cube 600 times, one would predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.			

Northfield Public Schools 14 Updated May 16, 2014